CLAIMS

1. A system for providing an interface enabled to transfer data between a plurality of databases, comprising:

a first database constructed and arranged to store a set of one or more data, wherein the first database is associated with a workstation, and the set of one or more data includes data associated with biological probe arrays;

a second database constructed and arranged to store the set of one or more data, wherein the second database is associated with a server; and

an interface constructed and arranged to transfer the set of one or more data between the first database and the second database based, at least in part, upon a user selection.

- 2. The system of claim 1, wherein: the set of one or more data includes a data file.
- 15 3. The system of claim 2, wherein:
 the data file is a .cel file, a .dat file, a .tif file, a .chp file, or a .spt file.
 - 4. The system of claim 2, wherein: the data file is a lab data file.

20

5

- 5. The system of claim 1, wherein: the set of one or more data includes a data object.
- 6. The system of claim 1, wherein:
 the first database and second database includes a data model.
- 7. The system of claim 6, wherein:
 the data model is constructed and arranged to store and provide access to the set of one

or more data.

- 8. The system of claim 7, wherein: the data model includes a relational data model.
- 9. The system of claim 8, wherein: the data model includes an AADM data model.

5

15

20

- 10. The system of claim 1, wherein:the interface includes a middleware application.
- 10 11. The system of claim 10, wherein:
 the middleware application is executed on the workstation.
 - 12. The system of claim 10, wherein: the middleware application is executed on the server.
 - 13. The system of claim 10, wherein:the middleware application provides access to the set of one or more data.
 - 14. The system of claim 1, wherein: the interface includes a graphical user interface.
 - 15. The system of claim 14, wherein:
 the graphical user interface displays the set of one or more data based, at least in part,
 upon a user selection.
 - 16. The system of claim 14, wherein:
 the graphical user interface displays a graphical illustration of space usage based, at least in part, upon a user selection.
- 30 17. The system of claim 14, wherein:

the graphical user interface enables the user selection of the set of one or more data to transfer.

18. A method for providing a middleware application enabled to transfer data between a plurality of databases, comprising the steps of:

providing a first database associated with a workstation;

providing a second database associated with a server; and

providing a middleware application, wherein the middleware application performs the step of:

10

5

transferring a set of one or more data between the first database and the second database based, at least in part, upon a user selection; and wherein the set of one or more data includes data associated with biological probe arrays.

- 15 19. The method of claim 18, wherein: the middleware application is executed on the workstation...
 - The method of claim 18, wherein:the middleware application is executed on the server.

20

- 21. The method of claim 18, wherein:
 the middleware application further performs the step of:
 providing access to the set of one or more data.
- 25 22. The method of claim 18, wherein:

the access is provided by a graphical user interface, wherein the graphical user interface displays the set of one or more data based, at least in part, upon a user selection.

23. A system for providing access security, comprising:

a workstation constructed and arranged to execute a user request for access to a server, wherein the user request includes a user identity;

a database constructed and arranged to provide a set of access information;

a service application constructed and arranged to receive the user request and perform

5 the steps of:

querying the database based, at least in part, upon the user identity; receiving the set of access information based, at least in part, upon the user identity; and

providing access privileges to the server based, at least in part, upon the set of access information.

24. The system of claim 23, wherein:

the service application is associated with the server.

15 25. The system of claim 23, wherein:

the set of access information includes access to specific files.

26. The system of claim 23, wherein:

the access privileges include updating the access permission associated with the file.

20

10

27. The system of claim 23, wherein:

the service application further performs the step of:

revoking the access privileges based, at least in part, upon user disconnection.

- 28. A system for providing an interface enabled to transfer data between a plurality of databases, comprising:
 - a first database stored and executed an a workstation;
 - a second database stored and executed on a server; and

wherein the workstation is constructed and arranged to store and execute the interface in system memory, and the interface is constructed and arranged to perform the step of:

transferring a set of one or more data between the first database and the second database based, at least in part, upon a user selection; and wherein the set of one or more data includes data associated with biological probe arrays.

29. The system of claim 28, wherein: the interface includes a middleware application.

5

10

20

- 30. The system of claim 28, wherein: the interface includes a graphical user interface.
- 31. The system of claim 28, wherein:
 the step of transferring further comprises producing a copy of each of the set of one or more data.
 - 32. The system of claim 31, wherein: the copy includes a .CAB file format.
 - 33. The system of claim 28, wherein: the set of one or more data is transferred over a network.
 - 34. The system of claim 33, wherein: the network includes the internet.
 - 35. A computer program product for enabling transfer of a set of one or more data between a plurality of databases, wherein the computer program product comprises:

an interface constructed and arranged to transfer the set of one or more data between a first database and a second database based, at least in part, upon a user selection; and

wherein the set of one or more data includes data associated with biological probe arrays.

36. The computer program product of claim 35, wherein:
the interface includes a graphical user interface enabled to receive the user selection.

- 10 37. The computer program product of claim 35, wherein:
 the first database is stored and executed on a workstation and the second database is stored and executed on a server.
- The computer program product of claim 35, wherein:
 the first database is stored and executed on a first workstation and the second database is stored and executed on a second workstation.
- 39. A method for providing access security, comprising the steps of:
 executing a user request for access to a server;
 20 receiving the user request, wherein the user request includes a user identity;
 querying a set of access information based, at least in part, upon the user identity; and providing access privileges to the server based, at least in part, upon the set of access information.
- 25 40. A system for providing access security, comprising:

 a workstation constructed and arranged to execute a user request for access to a server;

 a security manager constructed and arranged to receive the user request, wherein the user request includes a user identity;
- an access determiner constructed and arranged to query a set of access information based, at least in part, upon the user identity; and

an access provider constructed and arranged to provide access privileges to the server based, at least in part, upon the set of access information.